




Instrument Schedule

TABLE OF CONTENTS












FOH Catwalk B1	1	4th Electric	8
FOH Catwalk A1	1	Cyc Electric	9
1st Bridge	2	1a Electric	9
FOH	3	Ground Row	10
Balcony Rail	4	House Lights	11
HR Gallery Rail Lo	4	Work Lights	12
HR Gallery Rail Hi	4	Show Blues	13
HL Gallery Rail Lo	4	Booth Trap	13
1st Electric	5	HL Gallery Rail Hi	13
2nd Electric	6	Onstage	14
3rd Electric	7	FOH Catwalks	14

Instrument Schedule

FOH Catwalk B1











U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	PARnel	House Wash		(160)	80	
2	PARnel	House Wash		(161)	84	
3	19 degree Source Four	Cool Front	 G888+R119	(21)	87	
4	19 degree Source Four+Iris	FOH Special	 R119	(130)	88	
5	19 degree Source Four	Warm Front	 R33+R119	(1)	89	
6	19 degree Source Four	Cool Front	 G888+R119	(25)	90	
7	19 degree Source Four+Iris	FOH Special	 R119	(136)	91	
8	19 degree Source Four	Warm Front	 R33+R119	(5)	92	
9	PARnel	House Wash		(162)	96	
10	PARnel	House Wash		(163)	99	

FOH Catwalk A1

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	PARnel	House Wash		(164)	52	
2	PARnel	House Wash		(165)	54	
3	19 degree Source Four+Iris	FOH Special	 R119	(131)	57	
4	19 degree Source Four	Cool Front	 G888+R119	(22)	58	
5	19 degree Source Four+Iris	FOH Special	 R119	(132)	59	
6	19 degree Source Four	Warm Front	 R33+R119	(2)	60	
7	19 degree Source Four	Cool Front	 G888+R119	(23)	61	
8	19 degree Source Four+Iris	FOH Special	 R119	(133)	62	
9	19 degree Source Four	Warm Front	 R33+R119	(3)	63	
10	19 degree Source Four	Cool Front	 G888+R119	(24)	64	
11	19 degree Source Four+Iris	FOH Special	 R119	(134)	65	
12	19 degree Source Four	Warm Front	 R33+R119	(4)	66	
13	19 degree Source Four+Iris	FOH Special	 R119	(135)	67	
14	PARnel	House Wash		(166)	70	
15	PARnel	House Wash		(167)	72	

Instrument Schedule

1st Bridge

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	26 degree Source Four	Cool Front	 G888+R119	(26)	39	
2	26 degree Source Four	Warm Front	 R33+R119	(6)	40	
3	26 degree Source Four	Cool Front	 G888+R119	(27)	41	
4	26 degree Source Four	Warm Front	 R33+R119	(7)	43	
5	26 degree Source Four	Cool Front	 G888+R119	(28)	44	
6	26 degree Source Four	Warm Front	 R33+R119	(8)	45	
7	26 degree Source Four	Cool Front	 G888+R119	(29)	46	
8	26 degree Source Four	Warm Front	 R33+R119	(9)	48	
9	26 degree Source Four	Cool Front	 G888+R119	(30)	49	
10	26 degree Source Four	Warm Front	 R33+R119	(10)	50	





Instrument Schedule

FOH

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
	Slimpar Pro	Party Pars		(984)		8/320
	Slimpar Pro	Party Pars		(985)		8/332
	Slimpar Pro	Party Pars		(986)		8/344
	Slimpar Pro	Party Pars		(987)		8/356
	Slimpar Pro	Party Pars		(988)		8/368
	Slimpar Pro	Party Pars		(989)		8/380
	Slimpar Pro	Party Pars		(990)		8/392
	Slimpar Pro	Party Pars		(991)		8/404
	Slimpar Pro	Party Pars		(992)		8/416
	Slimpar Pro	Party Pars		(993)		8/428
	Slimpar Pro	Party Pars		(994)		8/440
	Slimpar Pro	Party Pars		(995)		8/452
	Slimpar Pro	Party Pars		(996)		8/464
	Slimpar Pro	Party Pars		(997)		8/476
	Slimpar Pro	Party Pars		(998)		8/488
	Slimpar Pro	Party Pars		(999)		8/500
	Source Four	Aisle Lights HL		(1001)	71	
	Source Four	Aisle Lights HR		(1001)	23	
	Source Four	Aisle Lights HL		(1001)	36	
	Source Four	Aisle Lights HL		(1001)	69	
	Source Four	Aisle Lights HR		(1001)	55	
	Source Four	Aisle Lights HR		(1001)	53	

Instrument Schedule







Balcony Rail

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
	House Projector			(2000)		1/501
3	36 degree Source Four	Curtain Warmer	 G850	(248)	111	
4	36 degree Source Four	Curtain Warmer	 G850	(248)	114	
5	36 degree Source Four	Curtain Warmer	 G850	(248)	115	
6	36 degree Source Four	Curtain Warmer	 G850	(248)	116	

HR Gallery Rail Lo

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	26 degree Source Four Lustr	High Sides		(94)		8/1
2	26 degree Source Four Lustr	High Sides		(93)		8/16
3	26 degree Source Four Lustr	High Sides		(92)		8/31
4	26 degree Source Four Lustr	High Sides		(91)		8/46

HR Gallery Rail Hi




U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	26 degree Source Four	Warm High Sides	 R33+R119	(53)	74	
2	26 degree Source Four	Warm High Sides	 R33+R119	(52)	75	
3	26 degree Source Four	Warm High Sides	 R33+R119	(51)	76	
4	26 degree Source Four	Cool High Sides	 G888+R119	(73)	77	
5	26 degree Source Four	Cool High Sides	 G888+R119	(72)	78	
6	26 degree Source Four	Cool High Sides	 G888+R119	(71)	79	

HL Gallery Rail Lo

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	26 degree Source Four Lustr	High Sides		(84)		8/166
2	26 degree Source Four Lustr	High Sides		(83)		8/151
3	26 degree Source Four Lustr	High Sides		(82)		8/136
4	26 degree Source Four Lustr	High Sides		(81)		8/121





Instrument Schedule

1st Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	36 degree Source Four	Cool Side	 G888	(74)	153	
2	36 degree Source Four	Warm Side	 R33	(54)	152	
3	26 degree Source Four	Cool Side	 G888	(74)	151	
4	26 degree Source Four	Warm Side	 R33	(54)	150	
5	19 degree Source Four	Cool Side	 G888	(74)	149	
6	19 degree Source Four	Warm Side	 R33	(54)	146	
7	36 degree Source Four	Cool Front	 G888+R119	(31)	148	
8	36 degree Source Four	Warm Front	 R33+R119	(11)	147	
8a	Mini-10	Overstage Works				
9	36 degree Source Four	Cool Front	 G888+R119	(32)	144	
10	36 degree Source Four	Warm Front	 R33+R119	(12)	143	
11	19 degree Source Four	Overstage Special		(140)	140	
12	36 degree Source Four	Warm Front	 R33+R119	(13)	139	
13	19 degree Source Four	Overstage Special		(141)	138	
14	36 degree Source Four	Cool Front	 G888+R119	(33)	137	
15	19 degree Source Four	Overstage Special		(142)	136	
16	36 degree Source Four	Cool Front	 G888+R119	(34)	134	
17	36 degree Source Four	Warm Front	 R33+R119	(14)	133	
17a	Mini-10	Overstage Works				
18	36 degree Source Four	Cool Front	 G888+R119	(35)	130	
19	36 degree Source Four	Warm Front	 R33+R119	(15)	128	
20	19 degree Source Four	Warm Side	 R33	(44)	131	
21	19 degree Source Four	Cool Side	 G888	(64)	132	
22	26 degree Source Four	Warm Side	 R33	(44)	127	
23	26 degree Source Four	Cool Side	 G888	(64)	126	
24	36 degree Source Four	Warm Side	 R33	(44)	125	
25	36 degree Source Four	Cool Side	 G888	(64)	124	













Instrument Schedule

2nd Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - D60s		(3000)	165	
1	36 degree Source Four	Cool Side	 G888	(75)	154	
2	36 degree Source Four	Warm Side	 R33	(55)	155	
3	26 degree Source Four	Cool Side	 G888	(75)	156	
4	26 degree Source Four	Warm Side	 R33	(55)	157	
5	19 degree Source Four	Cool Side	 G888	(75)	158	
6	19 degree Source Four	Warm Side	 R33	(55)	159	
7	D60 Vivid	LED Backs		(106)		3/76
8	36 degree Source Four	Overstage Special		(143)	160	
9	D60 Vivid	LED Backs		(107)		3/91
10	36 degree Source Four	Overstage Special		(144)	161	
11	D60 Vivid	LED Backs		(108)		3/106
12	36 degree Source Four	Overstage Special		(145)	162	
13	D60 Vivid	LED Backs		(109)		3/121
14	36 degree Source Four	Overstage Special		(146)	164	
15	D60 Vivid	LED Backs		(110)		3/136
16	19 degree Source Four	Warm Side	 R33	(45)	166	
17	19 degree Source Four	Cool Side	 G888	(65)	167	
18	26 degree Source Four	Warm Side	 R33	(45)	168	
19	26 degree Source Four	Cool Side	 G888	(65)	169	
20	36 degree Source Four	Warm Side	 R33	(45)	171	
21	36 degree Source Four	Cool Side	 G888	(65)	170	











Instrument Schedule

3rd Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - D60s		(3000)	189	
1	36 degree Source Four	Cool Side	 G888	(76)	178	
2	36 degree Source Four	Warm Side	 R33	(56)	179	
3	26 degree Source Four	Cool Side	 G888	(76)	180	
4	26 degree Source Four	Warm Side	 R33	(56)	181	
5	19 degree Source Four	Cool Side	 G888	(76)	182	
6	19 degree Source Four	Warm Side	 R33	(56)	184	
6a	Mini-10	Overstage Works				
7	D60 Vivid	LED Backs		(111)		3/151
8	36 degree Source Four	Overstage Special		(147)	185	
9	D60 Vivid	LED Backs		(112)		3/166
10	36 degree Source Four	Overstage Special		(148)	186	
11	D60 Vivid	LED Backs		(113)		3/181
12	36 degree Source Four	Overstage Special		(149)	187	
13	D60 Vivid	LED Backs		(114)		3/196
14	36 degree Source Four	Overstage Special		(150)	188	
15	D60 Vivid	LED Backs		(115)		3/211
15a	Mini-10	Overstage Works				
16	19 degree Source Four	Warm Side	 R33	(46)	196	
17	19 degree Source Four	Cool Side	 G888	(66)	197	
18	26 degree Source Four	Warm Side	 R33	(46)	198	
19	26 degree Source Four	Cool Side	 G888	(66)	199	
20	36 degree Source Four	Warm Side	 R33	(46)	200	
21	36 degree Source Four	Cool Side	 G888	(66)	201	

Instrument Schedule

4th Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - D60s		(3000)	214	
1	36 degree Source Four	Cool Side	 G888	(77)	208	
2	36 degree Source Four	Warm Side	 R33	(57)	209	
3	26 degree Source Four	Cool Side	 G888	(77)	210	
4	26 degree Source Four	Warm Side	 R33	(57)	211	
5	19 degree Source Four	Cool Side	 G888	(77)	212	
6	19 degree Source Four	Warm Side	 R33	(57)	213	
7	D60 Vivid	LED Backs		(116)		3/226
8	D60 Vivid	LED Backs		(117)		3/241
9	D60 Vivid	LED Backs		(118)		3/256
10	D60 Vivid	LED Backs		(119)		3/271
11	D60 Vivid	LED Backs		(120)		3/286
12	19 degree Source Four	Warm Side	 R33	(47)	220	
13	19 degree Source Four	Cool Side	 G888	(67)	221	
14	26 degree Source Four	Warm Side	 R33	(47)	222	
15	26 degree Source Four	Cool Side	 G888	(67)	223	
16	36 degree Source Four	Warm Side	 R33	(47)	224	
17	36 degree Source Four	Cool Side	 G888	(67)	225	

Instrument Schedule

Cyc Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - Cyc Lights		(3000)	251	
		LED Power - Cyc Lights		(3000)	252	
1	Spectra Cyc	Cyc Lights		(201)		4/1
2	Spectra Cyc	Cyc Lights		(202)		4/11
3	Spectra Cyc	Cyc Lights		(203)		4/21
4	Spectra Cyc	Cyc Lights		(204)		4/31
5	Spectra Cyc	Cyc Lights		(205)		4/41
6	Spectra Cyc	Cyc Lights		(206)		4/51
7	Spectra Cyc	Cyc Lights		(207)		4/61
8	Spectra Cyc	Cyc Lights		(208)		4/71
9	Spectra Cyc	Cyc Lights		(209)		4/81
10	Spectra Cyc	Cyc Lights		(210)		4/91
11	Spectra Cyc	Cyc Lights		(211)		4/101
12	Spectra Cyc	Cyc Lights		(212)		4/111

1a Electric

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - D60s		(3000)	231	
1	D60 Vivid	LED Backs		(101)		3/1
2	D60 Vivid	LED Backs		(102)		3/16
3	D60 Vivid	LED Backs		(103)		3/31
4	D60 Vivid	LED Backs		(104)		3/46
5	D60 Vivid	LED Backs		(105)		3/61

Instrument Schedule

Ground Row

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	Spectra Cyc	Cyc Ground Row		(213)		4/121
2	Spectra Cyc	Cyc Ground Row		(214)		4/131
3	Spectra Cyc	Cyc Ground Row		(215)		4/141
4	Spectra Cyc	Cyc Ground Row		(216)		4/151
5	Spectra Cyc	Cyc Ground Row		(217)		4/161
6	Spectra Cyc	Cyc Ground Row		(218)		4/171
7	Spectra Cyc	Cyc Ground Row		(219)		4/181
8	Spectra Cyc	Cyc Ground Row		(220)		4/191
9	Spectra Cyc	Cyc Ground Row		(221)		4/201
10	Spectra Cyc	Cyc Ground Row		(222)		4/211
11	Spectra Cyc	Cyc Ground Row		(223)		4/221
12	Spectra Cyc	Cyc Ground Row		(224)		4/231

Instrument Schedule

House Lights

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		House Lights		(1000)	356	
		House Lights		(1000)	357	
		House Lights - Column		(1000)	358	
		House Lights - Column		(1000)	359	
		House Lights - Column		(1000)	360	
		House Lights - Column		(1000)	361	
		House Lights - Column		(1000)	362	
		House Lights - Column		(1000)	363	
		House Lights - Gym		(1000)	364	
		House Lights - Gym		(1000)	365	
		House Lights - Gym		(1000)	366	

Instrument Schedule

Work Lights

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		Onstage Works		(1002)	410	
		Onstage Works		(1002)	391	
		Onstage Works		(1002)	392	
		Onstage Works		(1002)	393	
		Onstage Works		(1002)	394	
		Onstage Works		(1002)	395	
		Onstage Works		(1002)	396	
		Onstage Works		(1002)	397	
		Onstage Works		(1002)	398	
		Onstage Works		(1002)	399	
		Onstage Works		(1002)	400	
		Onstage Works		(1002)	401	
		Onstage Works		(1002)	402	
		Onstage Works		(1002)	403	
		Onstage Works		(1002)	404	
		Onstage Works		(1002)	405	
		Onstage Works		(1002)	406	
		Onstage Works		(1002)	407	
		Onstage Works		(1002)	408	
		Onstage Works		(1002)	409	
		Overstage Works		(1004)	452	
		Overstage Works		(1004)	451	
		Overstage Works		(1004)	450	
		Overstage Works		(1004)	448	
		Overstage Works		(1004)	447	

Instrument Schedule







Show Blues

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		Blue Light		(1003)	411	
		Blue Light		(1003)	412	
		Blue Light		(1003)	413	
		Blue Light		(1003)	414	
		Blue Light		(1003)	415	
		Blue Light		(1003)	416	
		Blue Light		(1003)	417	
		Blue Light		(1003)	418	
		Blue Light		(1003)	419	
		Blue Light		(1003)	420	
		Blue Light		(1003)	421	
		Blue Light		(1003)	422	
		Blue Light		(1003)	423	

Booth Trap

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		Trap Lights		(1005)	388	
		Trap Lights		(1005)	389	
		Trap Lights		(1005)	390	

HL Gallery Rail Hi

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
1	26 degree Source Four	Warm High Sides	 R33+R119	(43)	103	
2	26 degree Source Four	Warm High Sides	 R33+R119	(42)	104	
3	26 degree Source Four	Warm High Sides	 R33+R119	(41)	105	
4	26 degree Source Four	Cool High Sides	 G888+R119	(63)	100	
5	26 degree Source Four	Cool High Sides	 G888+R119	(62)	101	
6	26 degree Source Four	Cool High Sides	 G888+R119	(61)	102	

Instrument Schedule

Onstage

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - Ground Row		(3000)	322	
		LED Power - Ground Row		(3000)	314	

FOH Catwalks

U#	Instrument Type & Accessory	Purpose	Color & Gobo	Chan	Dim	Address
		LED Power - S4 Lustr Backs		(3000)	35	
		LED Power - S4 Lustr Backs		(3000)	25	
		LED Power - S4 Lustr High Sides		(3000)	297	
		LED Power - Slimpar Pros		(3000)	47	
		LED Power - Slimpar Pros		(3000)	42	